## Product data sheet Characteristics

### 9001KN205

30mm Push Button, Type K, aluminum legend plate, red, marked EMERGENCY STOP

Product availability: Stock - Normally stocked in distribution facility



Price\*: 5.28 USD



#### Main

/	
Harmony 9001K	
Legend plate	
Marking accessory	
Control and signalling units Ø 30 mm (metal range)	
40 x 43 mm	
White EMERGENCY STOP on red background	
English	
1.10 in (20 mm)	
<u>`</u>	
0.01 lb(05) (0.005 kg)	
21433 - 9001 ACCESS FOR K,KX,SK	
CS1	
00785901915201	
1	
0.01	
Υ	
US	
Openities to a class 2040 Collection Florida de describe et es forcit	
Schneider Electric declaration of conformity	
	Marking accessory  Control and signalling units Ø 30 mm (metal range)  40 x 43 mm  White EMERGENCY STOP on red background  English  1.18 in (30 mm)  Aluminium  0.01 lb(US) (0.005 kg)  21433 - 9001 ACCESS FOR K,KX,SK  CS1  00785901915201  1  0.01  Y

#### Complementary

Mounting diameter	1.18 in (30 mm)	
Material	Aluminium	
Product weight	0.01 lb(US) (0.005 kg)	

#### Ordering and shipping details

Category	21433 - 9001 ACCESS FOR K,KX,SK	
Discount Schedule	CS1	
GTIN	00785901915201	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.01	
Returnability	Υ	
Country of origin	US	

#### Offer Sustainability

RoHS (date code: YYWW)	Compliant - since 0840 - Schneider Electric declaration of conformity
	Schneider Electric declaration of conformity

REACh	Reference not containing SVHC above the threshold	
	Reference not containing SVHC above the threshold	
California proposition 65	WARNING: This product can expose you to chemicals including:	
Substance 1	Nickel compounds, which is known to the State of California to cause cancer, and	
Substance 2	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.	
More information	For more information go to www.p65warnings.ca.gov	
Contractual warranty		
Warranty period	18 months	

# Product data sheet Dimensions Drawings

# 9001KN205

#### **Dimensions**



а		b	
mm	in.	mm	in.
41.3	1.62	24.6	0.97