



Redi-Clamp®

245



Description: A repair clamp designed to repair pin holes, punctures or splits.

Application: Works on Steel, PVC, HDPE, and Copper tube.

Key Features:

- Built to a specific pipe O.D.
- Drop-in bolts help ease installation
- Standard widths are 3", 6", 9" and 12"
- Available in IPS, Copper tube, Ductile Iron and other sizes
- Lugs are epoxy coated for great corrosion resistance
- Provides 360° coverage, covering the full pipe surface
- 18-8 Type 304 Stainless Steel band for corrosion resistance
- Economical means of repairing pin hole leaks, punctures and splits in pipe

Materials Specifications (subject to change):

BAND: Stainless Steel Type 304

LUGS: Ductile Iron ASTM A536

GASKET: Nitrile (Buna N) compounded to produce resist oil, natural gas, acids, alkalies, most (aliphatic) hydrocarbon, water and many chemicals

LUGS: Ductile Iron ASTM A536 with Flexi-Coat® Epoxy Finish

BOLTS: Carbon Steel SAE J 429 electro galvanized with di-chromate seal. *Optional: 304 Stainless Steel bolts with fluoropolymer coated nuts to prevent galling*

Working Pressure: Up to 150 PSI

Pipe Applications: Steel, PVC, HDPE, and Copper tube

Sizes (in inches): ½", ¾", 1", 1¼", 1½", 2", 2½", 3" and 3½"-4"



THIS PRODUCT DOES NOT RESTRAIN PIPE MOVEMENT. Proper anchoring is required to prevent pipe pullout. Failure to anchor or improper anchoring can result in dangerous pipe content escape, property damage, serious injury, or death. Read the product installation instructions prior to installing this product.



245

Redi-Clamp®

| STANDARD | | | CATALOG NUMBER | | QTY. PER CTN. | METRIC | | |
|--|--------------|--------------|--------------------------|-----------------------|---------------|------------------------------------|----------|--------------|
| NOMINAL PIPE SIZE AND PIPE O.D. INCHES | WIDTH INCHES | WT. EA. LBS. | ELECTRO-GALVANIZED BOLTS | STAINLESS STEEL BOLTS | | NOMINAL PIPE SIZE AND PIPE O.D. MM | WIDTH MM | WT. EACH KG. |
| 1/2" 0.84 | 3 | 0.6 | 245-00008403-000 | 245-00008403-001 | 24 | 15 mm 21.33 | 76 | 0.30 |
| | 6 | 1.3 | 245-00008406-000 | 245-00008406-001 | 12 | | 152 | 0.60 |
| 3/4" | 3 | 0.7 | 245-00010503-000 | 245-00010503-001 | 16 | 20 mm | 76 | 0.30 |
| 1.05 | 6 | 1.4 | 245-00010506-000 | 245-00010506-001 | 10 | 26.67 | 152 | 0.60 |
| 1" 1.32 | 3 | 0.7 | 245-00013203-000 | 245-00013203-001 | 16 | 25 mm 33.52 | 76 | 0.30 |
| | 6 | 1.5 | 245-00013206-000 | 245-00013206-001 | 10 | | 152 | 0.70 |
| 1 1/4" | 3 | 0.8 | 245-00016603-000 | 245-00016603-001 | 12 | 32 mm | 76 | 0.40 |
| 1.66 | 6 | 1.6 | 245-00016606-000 | 245-00016606-001 | 6 | 42.16 | 152 | 0.70 |
| 1 1/2" 1.90 | 3 | 0.9 | 245-00019003-000 | 245-00019003-001 | 12 | 40 mm 48.26 | 76 | 0.40 |
| | 6 | 1.9 | 245-00019006-000 | 245-00019006-001 | 8 | | 152 | 0.90 |
| 2" | 3 | 0.9 | 245-00020003-000 | 245-00020003-001 | 8 | 50 mm | 76 | 0.40 |
| 2.00 | 6 | 1.9 | 245-00020006-000 | 245-00020006-001 | 4 | 50.80 | 152 | 0.90 |
| 2" 2.38 | 3 | 1.0 | 245-00023803-000 | 245-00023803-001 | 8 | 50 mm 60.45 | 76 | 0.50 |
| | 6 | 2.0 | 245-00023806-000 | 245-00023806-001 | 4 | | 152 | 0.90 |
| | 9 | 3.0 | 245-00023809-000 | 245-00023809-001 | 4 | | 229 | 1.40 |
| | 12 | 4.0 | 245-00023812-000 | 245-00023812-001 | 4 | | 305 | 1.80 |
| 2 1/2" 2.88 | 3 | 1.0 | 245-00028803-000 | 245-00028803-001 | 8 | 65 mm 73.15 | 76 | 0.50 |
| | 6 | 2.1 | 245-00028806-000 | 245-00028806-001 | 3 | | 152 | 1.00 |
| | 9 | 3.1 | 245-00028809-000 | 245-00028809-001 | 4 | | 229 | 1.40 |
| | 12 | 4.1 | 245-00028812-000 | 245-00028812-001 | 4 | | 305 | 1.90 |
| 3" 3.00 | 3 | 1.2 | 245-00030003-000 | 245-00030003-001 | 6 | 80 mm 76.20 | 76 | 0.50 |
| | 6 | 2.5 | 245-00030006-000 | 245-00030006-001 | 3 | | 152 | 1.10 |
| | 9 | 3.7 | 245-00030009-000 | 245-00030009-001 | 4 | | 229 | 1.70 |
| | 12 | 5.0 | 245-00030012-000 | 245-00030012-001 | 4 | | 305 | 2.30 |
| 3" 3.50 | 3 | 1.3 | 245-00035003-000 | 245-00035003-001 | 6 | 80 mm 88.90 | 76 | 0.60 |
| | 6 | 2.6 | 245-00035006-000 | 245-00035006-001 | 4 | | 152 | 1.20 |
| | 9 | 4.0 | 245-00035009-000 | 245-00035009-001 | 4 | | 229 | 1.80 |
| | 12 | 5.2 | 245-00035012-000 | 245-00035012-001 | 4 | | 305 | 2.40 |
| 3 1/2"-4" 4.00 | 3 | 1.3 | 245-00040003-000 | 245-00040003-001 | 4 | 90-100 mm 101.60 | 76 | 0.60 |
| | 6 | 2.7 | 245-00040006-000 | 245-00040006-001 | 4 | | 152 | 1.20 |
| | 9 | 4.0 | 245-00040009-000 | 245-00040009-001 | 4 | | 229 | 1.80 |
| | 12 | 5.4 | 245-00040012-000 | 245-00040012-001 | 4 | | 305 | 2.40 |

| STANDARD | | | CATALOG NUMBER | | QTY. PER CTN. | METRIC | | |
|--|-----------------|-----------------|-----------------------------|-----------------------|---------------------|--|----------|--------------------|
| NOMINAL PIPE SIZE AND PIPE O.D. INCHES | WIDTH INCHES | WT. EA. LBS. | ELECTRO-GALVANIZED BOLTS | STAINLESS STEEL BOLTS | | NOMINAL PIPE SIZE AND PIPE O.D. MM | WIDTH MM | WT. EACH KG. |
| 4" 4.25 | 3 | 1.4 | 245-00042503-000 | 245-00042503-001 | 4 | 100 mm 107.95 | 76 | 0.6 |
| | 6 | 2.8 | 245-00042506-000 | 245-00042506-001 | 3 | | 152 | 1.3 |
| 4" 4.50 | 3 | 1.4 | 245-00045003-000 | 245-00045003-001 | 4 | 100 mm 114.30 | 76 | 0.6 |
| | 6 | 2.8 | 245-00045006-000 | 245-00045006-001 | 3 | | 152 | 1.3 |
| | 9 | 4.2 | 245-00045009-000 | 245-00045009-001 | 3 | | 229 | 1.9 |
| | 12 | 5.6 | 245-00045012-000 | 245-00045012-001 | 4 | | 305 | 2.5 |
| 5" 5.00 | 3 | 1.5 | 245-00050003-000 | 245-00050003-001 | 6 | 125 mm 127.00 | 76 | 0.7 |
| | 6 | 3.0 | 245-00050006-000 | 245-00050006-001 | 3 | | 152 | 1.4 |
| | 9 | 4.5 | 245-00050009-000 | 245-00050009-001 | 4 | | 229 | 2.0 |
| | 12 | 6.0 | 245-00050012-000 | 245-00050012-001 | 4 | | 305 | 2.7 |
| 5" 5.56 | 3 | 1.6 | 245-00055603-000 | 245-00055603-001 | 6 | 125 mm 141.22 | 76 | 0.7 |
| | 6 | 3.2 | 245-00055606-000 | 245-00055606-001 | 3 | | 152 | 1.5 |
| | 9 | 4.8 | 245-00055609-000 | 245-00055609-001 | 4 | | 229 | 2.2 |
| | 12 | 6.4 | 245-00055612-000 | 245-00055612-001 | 3 | | 305 | 2.9 |
| 6" 6.00 | 3 | 1.8 | 245-00060003-000 | 245-00060003-001 | 6 | 150 mm 152.40 | 76 | 0.8 |
| | 6 | 3.6 | 245-00060006-000 | 245-00060006-001 | 3 | | 152 | 1.6 |
| | 9 | 5.4 | 245-00060009-000 | 245-00060009-001 | 3 | | 229 | 2.5 |
| | 12 | 7.2 | 245-00060012-000 | 245-00060012-001 | 3 | | 305 | 3.3 |
| 6" 6.25 | 3 | 1.8 | 245-00062503-000 | 245-00062503-001 | 6 | 150 mm 158.75 | 76 | 0.8 |
| 6" 6.63 | 3 | 1.8 | 245-00066303-000 | 245-00066303-001 | 6 | 150 mm 168.4 | 76 | 0.8 |
| | 6 | 3.7 | 245-00066306-000 | 245-00066306-001 | 3 | | 152 | 1.7 |
| | 9 | 5.5 | 245-00066309-000 | 245-00066309-001 | 2 | | 229 | 2.5 |
| | 12 | 7.4 | 245-00066312-000 | 245-00066312-001 | 3 | | 305 | 3.4 |
| 8" 8.00 | 3 | 2.1 | 245-00080003-000 | 245-00080003-001 | 4 | 200 mm 203.20 | 76 | 1.0 |
| | 6 | 4.2 | 245-00080006-000 | 245-00080006-001 | 2 | | 152 | 1.9 |
| | 9 | 6.3 | 245-00080009-000 | 245-00080009-001 | 2 | | 229 | 2.9 |
| | 12 | 8.4 | 245-00080012-000 | 245-00080012-001 | 2 | | 305 | 3.8 |
| 8" 8.63 | 3 | 2.2 | 245-00086303-000 | 245-00086303-001 | 4 | 200 mm 219.20 | 76 | 1.0 |
| | 6 | 4.4 | 245-00086306-000 | 245-00086306-001 | 2 | | 152 | 2.0 |
| | 9 | 6.6 | 245-00086309-000 | 245-00086309-001 | 2 | | 229 | 3.0 |
| | 12 | 8.8 | 245-00086312-000 | 245-00086312-001 | 2 | | 305 | 4.0 |
| *10" 10.00 | 3 | 2.5 | 245-00100003-000 | 245-00100003-001 | 4 | 250 mm 254.00 | 76 | 1.1 |
| | 6 | 5.0 | 245-00100006-000 | 245-00100006-001 | 2 | | 152 | 2.3 |
| | 9 | 7.5 | 245-00100009-000 | 245-00100009-001 | 2 | | 229 | 3.4 |
| | 12 | 10.0 | 245-00100012-000 | 245-00100012-001 | 2 | | 305 | 4.5 |
| *10" 10.75 | 3 | 2.8 | 245-00107503-000 | 245-00107503-001 | 4 | 250 mm 273.05 | 76 | 1.3 |
| | 6 | 5.6 | 245-00107506-000 | 245-00107506-001 | 2 | | 152 | 2.5 |
| | 9 | 8.4 | 245-00107509-000 | 245-00107509-001 | 2 | | 229 | 3.8 |
| | 12 | 11.2 | 245-00107512-000 | 245-00107512-001 | 2 | | 305 | 5.1 |
| *12" 12.00 | 3 | 2.9 | 245-00120003-000 | 245-00120003-001 | 4 | 300 mm 304.80 | 76 | 1.3 |
| | 6 | 5.8 | 245-00120006-000 | 245-00120006-001 | 2 | | 152 | 2.6 |
| | 9 | 8.7 | 245-00120009-000 | 245-00120009-001 | 2 | | 229 | 3.9 |
| | 12 | 11.6 | 245-00120012-000 | 245-00120012-001 | 2 | | 305 | 5.3 |
| *12" 12.75 | 3 | 3.0 | 245-00127503-000 | 245-00127503-001 | 4 | 300 mm 323.85 | 76 | 1.4 |
| | 6 | 6.0 | 245-00127506-000 | 245-00127506-001 | 2 | | 152 | 2.7 |
| | 9 | 9.0 | 245-00127509-000 | 245-00127509-001 | 2 | | 229 | 4.1 |
| | 12 | 12.0 | 245-00127512-000 | 245-00127512-001 | 2 | | 305 | 5.4 |